

(215) 971-0900 FAX: (215) 971-9715

R-51-3-3-11

March 22, 1993

Project Number 5538-12

Ms. Maggie Jennis (3HW73) United States Environmental Protection Agency 841 Chestnut Street Philadelphia, Pennsylvania 19107

Reference:

ARCS III Program

EPA Contract No. 68-W8-0037

Subject:

Final Site Report

EPA Work Assignment No. 37-41-3JZZ Dioxin Sampling Follow-Up Study EPA ID No. MDD981106768

EPA DSN MD-248

United Rigging and Hauling

Beltsville, Prince Georges County, Maryland

Dear Ms. Jennis:

Submitted herewith is the final site report conducted under the subject work assignment for the United Rigging and Hauling Site. As discussed with EPA's Gregory Ham and in accordance with guidance provided by the Statement of Work and detailed in Section 2.2.2.1 of the work plan for this work assignment, a site visit was not required for this site. Based on information obtained from EPA's removal and CERCLA files and provided by site representatives, the following is offered for EPA's consideration:

 No further action should be considered by EPA at this time. The drums of investigationderived waste (IDW) generated during the Field Investigation Team (FIT) sampling were disposed during the Emergency Removal action that took place in 1985. These drums were disposed at a permitted landfill.

The information in the EPA files and provided by site representatives includes the following:

The United Rigging and Hauling Site is located on 10 acres of property in the north-central portion of Beltsville, Prince Georges County, Maryland. The facility is an active rigging and hauling contractor that has been in operation since the early 1970s. The facility was also used to store old electrical transformers that were salvaged for their scrap metal value. During the salvage operation, the transformer carcasses were taken to a burn area, and the wire insulation was burned off to reclaim the copper. The burn area measured approximately 100 by 100 feet. The transformers contained polychlorinated biphenyl (PCB) oils as coolants for their internal parts. During operations at the site, transformers allegedly leaked onto the ground.





R-51-3-3-11 Ms. Maggie Jennis United States Environmental Protection Agency March 22, 1993 - Page 2

On March 28, 1985, the Prince Georges County Health Department responded to a complaint about oil in a storm drain adjacent to the site. A sample was taken of the oil and sent to the Maryland Department of Health and Mental Hygiene (MD DHMH) laboratory for analysis. The analysis showed a PCB concentration of 235 ppm.

MD DHMH conducted some additional sampling at the drainage culvert and an unnamed tributary of Indian Creek on April 17, 1985. The laboratory results indicated PCB contamination in the soils and sediment of the storm drain culvert.

On May 1, 1985, MD DHMH executed a search warrant against United Rigging and Hauling in order to obtain operating records. Samples were also obtained from on-site soils. The samples indicated PCB contamination in the soils.

On May 8, 1985, EPA was contacted to conduct a preliminary assessment of the United Rigging and Hauling Site. Emergency actions were required; these actions consisted of runoff control measures, sampling to identify and delineate potential hazardous areas, and initiating security measures.

On May 9, 1985, EPA's Emergency Response Team and the on-scene coordinator, Robert Caron, arrived on site to begin an extent of contamination study and segregate waste material.

On May 20, 1985, Halliburton NUS Corporation (formerly NUS Corporation) conducted a dioxin screening of the 100- by 100-foot burn area. This was to determine if the low-temperature incineration of PCB-contaminated oils in the transformers and the wire insulation created dioxin as an unwanted by-product. A total of 14 on-site soils were sampled. The samples were analyzed for 2,3,7,8-tetrachlorodibenzodioxin (2,3,7,8-TCDD) and its isomers and tetra- through octa-dibenzofurans. All samples showed a non-detect result for 2,3,7,8-TCDD; however, dioxin equivalents from the furan analysis showed concentrations from a non-detect result to 7.53 ppb. During the investigation, two drums of IDW were created; the drums contained boot covers, gloves, Tyvek, respirator cartridges, and excess soils from the sampling. These drums were left on site to be staged with the remainder of the drums of waste being created during the extent of contamination study (see Attachment 1).

On May 29, 1985, a clean-up plan was submitted to EPA by United Rigging and Hauling and Potomac Electric Power Company (PEPCO), the owner of most of the transformers on site.

On June 10, 1985, a meeting was held among representatives of EPA, United Rigging and Hauling, PEPCO, and the state of Maryland to discuss the clean-up plan and the issuance of a consent order to ensure that the work would be conducted according to state regulations and specifications.

On June 25, 1985, a revised clean-up plan was submitted to EPA by United Rigging and PEPCO; 15 ppm PCB was recommended as a background level throughout the site. The background level was acceptable to EPA and the state of Maryland.

On June 26, 1985, a revised Consent Order was accepted by EPA.

On July 25, 1985, a contract was awarded to Chemical Waste Management for a large majority of the clean-up work.





R-51-3-3-11 Ms. Maggie Jennis United States Environmental Protection Agency March 22, 1993 - Page 3

On August 2, 1985, the Consent Order was signed by EPA regional administrator James Seif.

On August 20, 1985, the removal of materials from the site began. On November 4 and 5, 1985, the majority of the cleanup was completed; a total of 420 trucks of debris and soil were removed.

On December 10, 1985, EPA was on site to monitor the cleanup of the site. Hydroseeding took place on site. A total of 531 trucks, including the material from August 20, 1985, of soil and debris were removed from the site.

On December 16, 1985, EPA was again on site to monitor the cleanup of the site. Final grading was underway. PEPCO considered clean-up work to be completed on the site. A total of 552 trucks, including the material from December 10, 1985, of soil and debris had been removed from the site.

On January 6, 1985, EPA was informed that all the manifests had been received from Model City, the disposal site for the wastes. Site work was listed by EPA as being complete.

On October 15, 1987, a Preliminary Assessment was conducted on the site by the state of Maryland Department of the Environment (MDE).

On January 30, 1989, a spill of diesel fuel was reported to MDE by United Rigging and Hauling. An underground storage tank failed a pressure test. A second air pressure test was completed and showed the tank not to be leaking. The two tests were completed on March 9, 1989. A final precision test completed on March 20, 1989 showed the condition of the tank to be acceptable.

On September 28, 1989, Halliburton NUS Field Investigation Team 3 (FIT 3) conducted a site inspection of the United Rigging and Hauling Site. During the inspection, on-site soils, surface water, and sediments were sampled. The sampling showed elevated levels of the following: phenanthrene, fluoranthene, pyrene, benzoic acid, 2,6-dinitro-2-methylphenol, and PCB below the action level (see Appendix B).

No other known regulatory actions have taken place at the site.

If you have any questions, please do not hesitate to call.

Respectfully submitted,

Charles Muyer

Charles Meyer

Site Manager

Andrew Frebowitz

Reviewed by,

Project Manager

Approved by,

Leonard Johnson


Program Manager, ARCS III


CM/law





APPENDIX A






SOURCE: (7.5 MINUTE SERIES) USGS BELTSVILLE, MD. QUAD.

SITE LOCATION MAP UNITED RIGGING & HAULING, BELTSVILLE, MD. SCALE 1:24000




Market St.	



SITE SKETCH
UNITED RIGGING & HAULING, BELTSVILLE, MD.
(NO SCALE)



THE PARTY OF THE P	



SAMPLE LOCATION MAP
UNITED RIGGING & HAULING, BELTSVILLE, MD.
(NO SCALE)





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

URIGINA

REGION III CENTRAL REGIONAL LABORATORY 839 BESTGATE ROAD ANNAPOLIS, MARYLAND 21401

301-224-2740 FTS-922-3752

DATE : June 11, 1985

SUBJECT: Dioxin QA Review Case 4466, United Rigging

DC014501-DC014520

FROM

: John Austin (3ES20)

Chemist

TO

:Bob Caron (3HW22)

THRU:

Patricia J. Krantz (3ES20)

DPOQA

Samples DC014501 through DC014520 have been successfully analyzed by California Analytical Laboratories, Inc. No environmental samples were found to exhibit the presence of 2,3,7,8-TCDD. All results are annotated with a "Y" to indicate that the results have been verified according to standard Region III dioxin quality assurance review (see attachment 1).

Several reporting errors for m/z 328 areas were noted. In each case, the area reported had not been corrected for the contribution of m/z 322. The corrected areas are as follows:

> m/z 328* 171141 DC014517NS 210037 DC014519

* Corrected for contribution by rating TCDD; 0.9% of m/z 322 subtracted.

The correct areas were used for surrogate recovery calculations by the laboratory.

cc: Walter Lee (3HW12)



ATTACHMENT #1

The quality assurance review performed on each data package consists of a review of all calibrations, ion ratios, column performance checks, duplicate precision, surrogate recoveries and a recalculation of all findings.

Isotope dilution selected ion mass spectrometry was used to test for the presence of 2,3,7,8-TCDD. In order for a result to be reported as dioxin, each of the following criteria had to be met:

- 1. Retention time (at maximum peak height) of the sample component must be within 3 seconds of the retention time of the $13C_{12}$ -2,3,7,8-TCDD.
- The integrated ion currents detected for m/z 257, 320 and 322 must maximize simultaneously.
- 3. The integrated ion current for each analyte and surrogate compound ion (m/z 257, 320, 322, and 328) must be at least 2.5 times background noise and must not have saturated the detector; internal standard ions (m/z 332 and 334) must be at least 10 times background and must not have saturated the detector.
- 4. Abundance of integrated ion counts detected for m/z 320 must $\ge >67\%$ and <87% of integrated ion counts detected for m/z 322.

If any of the above criteria were not met, the result was not reported as dioxin but flagged with the qualifier "EM", representing the estimated maximum possible concentration, and a foot note to the failed criteria.

For samples in which no unlabeled 2,3,7,8-TCDD was detected, the estimated minimum detectable concentration, which is the concentration required to produce a signal with area (or peak height) of 2.5 times the background signal area (or peak height), was reported.

TCDO DATA REPORT California Analytical Laboratories 2544 Industrial Blvd. W. Secremente, CA 95691

Lab: California Analytical Laboratories Case No. 4466 Batch/Shipment No.

Report Date: 6-7-85 Column: SP-2330 60M X 0.32MM

Cal Labs ID	Sample	· Aliquot C Wet Wt. U (grams)	PPS TCDO Reas	PPB TCDD Bet. In Lat 1	mt D Date	Time	329/ 322	332/ 334	PPS Surry Ross	Surrg % Acc's	320	322	257	328*	332 1122410	334 1336640	V	Comments
13061HBR1 13044 13045 13046 13047 13048 13049 13050 13051 13052 13053 13054 13055 13056 13057 13058 13059 130600 1306001 130610 130610	METHOD BLANK DC014501 DC014502 DC014503 DC014504 DC014505 DC014506 DC014507 DC014508 DC014509 DC014510 DC014511 DC014512 DC014513 DC014514 DC014515 DC014515 DC014516 DC014517 DC014517 DC014518 DC014518 DC014518 DC014519 DC014520	# 10.00 # 10.00 # 9.91 # 10.01 # 10.05 # 10.05 # 10.25 # 10.25 # 9.96 # 9.96 # 10.00 # 10.26 # 9.69 # 10.26 # 10.27 # 10.26 # 10.27 # 10.21 # 10.14 # 10.27	100 100 100 100 100 100 100 100 100 100	0.023 0.051 0.10 0.28 0.33 0.19 0.064 0.20 0.19 0.041 0.13 0.048 0.071 0.039 0.18 0.029 0.016 0.018 0.21 0.36	8 06/05/85 8 06/05/85	99:52:00 10:26:00 10:51:00 11:11:00 14:07:00 14:29:00 14:24:00 15:27:00 15:47:00 16:44:00 17:09:00 17:27:00 17:47:00 18:07:00 18:55:00 19:38:00 20:17:00 21:18:00	0.81	0.84 0.80 0.79 0.82 0.81 0.79 0.81 0.82 0.81 0.82 0.81 0.80 0.79 0.80	1.13 1.13 1.21 1.14 1.19 0.97 1.17	116 118 117 113 103 117 107 117	4901	4890 	53280	548363 77057 41031 20455 15240 32097 78581 25330 25344 93808 31259 82157 68806 125768 54489 162209 204558 269908 171903 15325 8488 216536 565959	136797 70259 35927 25464 66650 143473 46264 48472 171970 62785 158683 127856 232749 98744 291965 369197 512821 353795 27681 16635 390759 1178280	170673 89250 43983 31373 82961 176539 58600 61696 212096 76591 193850 157243 290931 125484 366356 462512 622610 439299 34753 21300 487353 1493230	24424	

MB	Method I	Lank	
P	Partial	Scan/Confirmatory	Analysis

FB - Fleld Blank IID - Not Detected DL . Detection Limit

RX = Re-extraction

4* PE SAMPLE TRUE VALUE = 8.67
90% C.I. not available

(interval for TV-8.2 is 6,2-10.0)

V= Verisid Result

FORM 8-1



MS = Mative TCDO Spike D = Duplicate/Fortified Field Blank

RI = Re-injection

^{*}Corrected for contribution by native TCDO; 0.9% of m/z 322 subtracted

California Amalytical Laboratorius Initial Calibration Sussery

		Interne a				
	injection pate	injection time	Standard 10	MATIVE RRF	SURSONATE RRF	VALLET
PC	63/27/63	99119100	DM850327	N. mark	1.65	
cc1 .	63/27/65 63/27/65 03/27/65	09:42:00 11:58:00 14:42:00	818503278 818503278 818503274	.93 .93 .94 .94	1.10 1.06 1.046	
cc2	83/27/85 83/27/85	18:07:00 12:15:00 15:07:00	81856327A 81850327F 81850327K	.93 .93 .96	1.63 1.01 1.11 1.647	
tc3	03/27/65 03/27/65 03/27/65	10:24:00 12:54:00 15:24:00	978565278 918565276 918563271	.93 .95 .88	4 020	
cc4	63/27/65 63/27/65 63/27/65	40.84.00	818563276 818563278 818563278	-		
æ	03/27/8 03/27/8 03/27/8	5 13131.0	810,000	1 '2	}	4.41
PC	03/27/65	16:33:00	DWG50327A Over- std d	ell Hounes gylations:	1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	M8 M66

Solution ID Codes:

PC = Performence check solution

CC1 = Concentration calibration solution #1 = 0.2 ug/ml

CC2 = Concentration calibration solution #2 = 1.0 ug/ml

CC3 = Concentration calibration solution #3 = 5.0 ug/ml

CC4 = Concentration calibration solution #4 = 20.0 ug/ml

CC5 = Concentration calibration solution #5 = 40.0 ug/ml



To: S.WASSERSUG (EPA9370)

From: CRL/REG.III (EPA9385) Posted: Wed 11-Sep-85 11:43 EDT Sys 63 (56)

Subject: United Rigging and Hauling - Sample DC014514

Memo W. Lee, United Rigging&Hauling, Sample DC014514 9/11 PK

September 11, 1985

United Rigging and Hauling - Sample DC014514

Patricia J. Krantz (3ES20) DPO QA

Walter Lee (3HW12) Environmental Scientist

Regarding your question related to the apparent discrepancy between the standard CLP dioxin analysis (ND) and the value reported with the isomer analysis (1.7), we have evaluated the data sets and believe that the "ND" is the proper value to use for decision making purposes. Our recommendation is based on the following

- I) The CLP method is the only "endorsed" method for dioxin analysis. The CAL isomer method is non-validated and experimental.
- II) The only value generated where all identification and QC criteria are met is the ND determination. The isomer analysis had 1) no surrogate recovery, 2) saturated columns, 3) interfering peaks, and 4) was not confirmed by the second column. Since different solvents, columns and interpretative criteria were used, it is not surprising that a discrepancy might exist.

For the reasons stated above, we believe the ND value to be the most quantitatively accurate determination available.



-- 11 ad:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION III CENTRAL REGIONAL LABORATORY 839 BESTGATE ROAD ANNAPOLIS, MARYLAND 21401

301-224-2740 FT8-922-3752

DATE

September 10, 1985

SUBJECT:

United Rigging and Hauling, Case 4466/1721C

Total Furan and Dioxin Isomer Analyses

FROM

Charles S. Sands (3ES20)

Chemist

TO

Walter F. Lee (3HW12) Environmental Scientist

THRU : Patricia J. Krantz (3ES20)

DPO QA

The attached tables include verified and non-verified dioxin and furan data. "Verified" means that we obtained the same value upon doing the calculations that the laboratory reported. Still not verified are: 1) 2,3,4,7,8 penta furans, 2) most hepta and octa furans, and 3) all Cl37-2,3,7,8 TCDD surrogates.

The analyses consist of monitoring of selected ion masses. Target compound identification was based upon the following factors: target compounds had to display the correct ion masses in a specified ion ratio and display a retention time approximate to that of C_{13} -labeled analogs (this means the target compound must elute from the column within a certain interval from C13-labeled internal standards).

Twelve C12-labeled internal standards and one Cl27-labeled surrogate standards were utilized, and this caused unique analytical problems.

(1) C₁₃-labeled furans had the same masses (the crucial ones that were monitored) as masses of unlabeled dioxin target compounds. As examples, C₁₃-labeled hexa furans contained mass 390, which was also the mass being used to monitor hexa dioxins. C13-labeled hepta furans contained masses 424 and 426, which were target masses of hepta dioxins. Octa furan internal standards contained mass 458, also found in octa dioxins.

A phone conversation with the laboratory determined that areas used in calculations were often not integrator-generated areas, but manually determined areas that were less than instrument areas. These areas were corrected for internal standards by factors that were not documented. Different individuals worked on calculating this case, and calculation procedures were not uniform between individuals.



- (2) Problems with the other identification criteria, ion ratios, also occurred. Ions to be monitored were usually of the form m, m+2, m+4..., where m, m+2, and m+4 were masses resulting from the isotopic abundance of chlorine atoms in nature. A hexa furan might have a theoretical literature ion ratio of 1.2 [m/(m+2)=1.2]. The target compound would have a ratio of 1.2, but the internal standards ratio would be 0.5. The reviewer would believe that there was a problem with the identification criteria. However, phone conversations with the laboratory revealed the lab was changing monitored ion ratios from m/(m+2) to (m+2)/(m+4) for internal standards to avoid interferences between C₁₃-labeled internal standards and adjacent dioxin classes. This occurred in hexa, hepta, and octa furans, but was not fully documented by the lab.
- (3) Octa furans and octa dioxins had the previously mentioned problems. In addition, the peaks did not separate and were very broad. Other than ion interferences, the peaks were so wide they were not integrated uniformly by the instrument and areas were not consistent. Manual areas were utilized for these classes.
- (4) Sample DC014519 had a verified 2,3,7,8-TCDD value of 6.8 ppb. This was a performance sample with a true value of 8.67 ppb. The laboratory determined value was within the acceptable range.
- (5) Samples DC014503 and DC014518 were field duplicates and DC014518 was a laboratory duplicate. Significantly different results for total penta and hexa furans were noted. Sample DC014516, a background soil contained hexa furans and octa dioxins.

Isomer specific dioxin and furan analyses are state of the art techniques that are undergoing development. Set procedures for analyses and data-evaluation have not been formulated and are resource intensive. If further review efforts are required, please contact Pat Krantz.

FURANS - VERIFIED TARGET COMPOUNDS

D Inorganic Organic

> TDD Mumber **EPA Member**

She Name

Date of Sample

Compounds Detected

Contraction of the Contraction o	09 LZ 011 120	00,98 20 88 20	0.T	. 6.3 ar 7.4		34.8 26 109	5.7 0.18 100 1.3	40.4	33.5 1.0 724	16.1 0.37 29.0	1138 029 25.7		47.0 . at7 ans	94.7.
The Art of the State of the Sta	NO 94					0.046 0.75		2.6	5.1 130.0	0.040 0.84	0.48	1.3 8.8	0,19 3.6	136 361
Sangle Sample Description Number and Location Phase	Rayso!	4	63	No	05	70	1 29	36	00	01	11	الح1	13	コーニー

. NOTE: For a review of this data and non-target, tentalisedy identified con-Lands, please see the Analytical Quality Assur. ... section of this report.

Site Name SAMPLE DATA SUMMARY
TARGET COMPOUNDS TDD Number

	1	A CONTRACTOR OF THE PARTY OF TH	くかい		7	3	0		1		6	,	10	0		GINA ed)	
		W.	The state of the s	3%	6.8 19.5	1.6 8.3	5.1 200		26 25	3.7	8.0 14.2 50.9	1.4 se 9.6	aTT 1.4 6.5	1.0 1.9 8.0	2.18 8.18 Jr	2.8 54 18.3	333 546
Date of Sample		N San	There are	1.6	39	0.49 1.6	2.9		3.1	तं	8.0	1.4	D. T.	1.0	7.4	2.8	45.6
Dat	Compounds Detected	**************************************	The San Six	1000	0.16		Boo		P,0		640	cooks		1800	1,3 3.4	200	27 50
andc	Compount	24.00	The state of	180	170		0.0		1300	- 4 00	16.0					, 380	34
paic Inorganic	DIOXINS	2	A COUNTY	1.084 a.esy	DOCT 0.06.7		: 0048 0.		0.061 O		0.31 0.		2 .	, , , , , , , , , , , , , , , , , , ,		0.065 0.065	34 3
•	ruen Die	3/0/	TO THE WAY				4.1								3, (-7	17/137
		S. C.	Unite Africal	20			960			27	1.8	26	CL.0	67.0	183	(1)	160.
			Sample Description and Location Phase U	Colds of	70	93	100	02	ঠ	10	86	90	10		11/11/	13	1 1
EPA Mumber	8		Sample Sa Number an	٩													

NOTE: For a review of this data and non-target, tentatively identified compounds, please see the Analytical Quality Assurance section of this report.

FULANS -- UE OFFIED

TARGET COMPOUNDS

Site Name

| Inorganic

Organic

TOD Number EPA Mumber

Date of Sample

Compounds Detected

AND THE WAY TO THE MANNEY OF THE PARTY OF TH				•		1,5						R	GI VA	section of this report.
WATER AND SEL	7.6	0038 1.1	000 0.17	023 973		0.061 3.3	7H0'0							- 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		84.0	Stoo	. 038 ·	6.00	482							_	dease see the Analytical Quality Av
TO SEA SECONOMIC	0.65 184	A10.00 154.0 600.0	D.0007 0.0007	0.19 0.20 0.20	0.04th 0.0th 0.030		44							as teathtined widentified community.
Sample Sample Description Phase Units	D. Courant 15		1		8	18D da		8	***************************************	078 AV	PH) MARK M	1/4	6	***

PAGE 4 B. YLFID

SAMPLE DATA SURGAARY TARGET COMPOUNDS

EPA Mumber TDD Number

i

Date of Sample

Site Name

Compounds Detected | beergandc DOXIOS FUEM

-												
2												
	The Way of the	6'11	6,3	8,5	6.5	7,3	2.7					
	No.	8° 41	080 €	2.01	0.57 0.90	h" 0	1.8	83 18.5			Ц	22
2	"EX	"	4.0	939	0	0.80	1.0	8			H	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Mark of the	0.061			0.16	0.043	5600	H	H			
< x	SEZ.				0.16 0.16			10.44				
スト	September 1	1.90		-	50	H	Н		Н		Н	
A	S. C.	0.089 0.089	\vdash	H	0.03 0.33	H	Н	6.53 3.0	H		H	
THE ST	Any				:			j				
č V	The state of				\$ 0.18			8 6.8	Ц			
1				H	91.0	H		89	H	\vdash		H
Y	post/	7.6	0.33	0.39	=	360	0,0	1	H			
	Units				·							
	Place											
	Sample Description and Location	PC014515.	<u>ა</u>	(1	NLI	18	RD	61	20		mB	MBUK
	¥ P											1

NOTE: For a review of this data and non-target, tentality identified campounds, please see the Analytical Quality Assurance section of this report.


♦ Denotes results of questionable qualitative similificance based upon quality assurance review of data

Remarks dd) PAGE 4,3 283 554 120 1.8 1007 17.2 6.2 0.66 20.1 3,7 16.8 1.3 25.8 4 | 22 | PA 0.4 5.9 25 0.26 27 h'11/e-0 8 6.8 0,7 210 4117 6.4 17.1 5 2 150 4.9 Compounds Detected 1530 3.3 ast 5 K るか SAMPLE DATA SUMMARY TARGET COMPOUNDS | brangandc FURANS 5.0 10:24 200 200 5.5 2.5 20 Le.d Organic 0.1 ス , · . 4:* Certes Please Sample Description and Location 9 کے 20 2 COM SO S 0 63 8 70 10 Raysol EPA Number TOO Number

NOTE: For a review of this data and non-target, tentatively identified con-, ands, please see the Analytical Quality Assur. . a section of this report.

3 0111		24	A Second	1				╬		7					02	NA)		THE PERSON NAMED IN
1	Date of Sample	145	A STATE OF THE PARTY OF THE PAR													-		section of this report.
Vapi Fieb	Jonnounds Detected	350	OSE &				ŀ											Assurance section
A MARY		200			╠													r Analytical Quality Assurance
SAMPLE DAT	Doxins	724	TO STAN STAN STAN STAN STAN STAN STAN STAN				·		0.017									unds, p case see the
•	FURM	RA	DAS														•	ly identified compo
			Chalco A		11,0	119			2.0	0.88								on-target, tentative s qualitative sienific
mbcr mbcr		W.	Sample Description and Location Phase	OCONTSON	20	63	50	٥٥	799	10	80	60	ql	=	11/2	13	51	NOTE: For a review of this data and pon-target, tentatively \$\triangle \text{ Denotes resid to of questionable qualitative aimittees.}
TDO Mumber EPA Number	×		## J			N H	H.	<u> </u>	E 5 t	*	I O d		Z 9	·]	7	176		


MGE 7 9539 H. 0.77 0.08 0.R 0,18 p.a7 p.s3 18'0 HOOD LEVO 0.51 0.057 1.5 000 000 36.6 20 Date of Sample 0.00D I this data and non-target, testatively identified compounds, please are the Institical Quality Assurance section of this report. FURANS Inot veritid 35% A0051 0.049 43 3000 SAMPLE LIATA SIMIMARY TARGET COMPOUNDS O beorganic 0.02 2,0 6,000,0 O. C. 0.048 DON'T Oorganic 4: ... Cales 0 NOTE: For a re le TOD Member DAHNNA 7 ā 183




	20



APPENDIX B





SAMPLE LOCATION MAP

UNITED RIGGING & HAULING, BELTSVILLE, MD

(NO SCALE)

FIGURE 5.1





UNITED RIGGING AND HAULING

SAMPLING DATE(5): 9/28/89 CASE NUMBER: 12826

STATE/COUNTY CODE:

2-47 11 MD 248

SITE NAME: UNITED RIGO TOD NUMBER: F3-8908-12

AB NAMES:	ORGANIC/ IT LERRITOS	INUNUATION	SKINER				
	SAMPLE NUMBER: SAMPLE ID:	CZ811 SW-1 UNNAMED TRIB	CZB12 SW-2 UNNAMED TR1B	CZB13 SW-3 UNNAMED TRIB	CZB14 Sw·30	CZB17 AQ BLNK BLANK	2D 1 7 ZB 1B
	LOCATION:	UPSTREAM INTERMITTENT CLOUDY	UPSTREAM INTERMITTENT CLOUDY	DOWNSTREAM INTERMITTENT CLOUDY	DOD OF SW 3		MATCHES SW 1 FINE GRAIN
	PH: FIELD MEASUREMENTS:	PONE SPROBE	5.5 NONE≯BKGRD	5.5 NONE>BKGRD	5.5 NONE > BKGRD	b '	NONE BRGRU 63.0%
	PERCENT SULTUS:					1.U	1 . U
TYPE OF DATA	DILUTION FACTOR:	1.0	1.0	1.0	1.0	1.0	
ora di distribuis	SAMPLE NUMBER:	(2811	CZ812	C2813	0.2814	C Z B 1 7 - ag / 1	(2010 .ug/kg
DET. LIMIT CROL (⊕÷1DL)		ug/1	ug/1	ug/1	9/1		
10 00 (1)	loromethane	8.00			10.00		
10.00 ch	loroethane	0.00	5.00	12.00	5.00	5.00	3 100
5.00 me	thylene chloride	8.00 36.00	3.00		30.00		17.00
10.00 ac		9.00					
5.00 ch	Toroform rhom tetrachloride	1.00	200 - 200 -		S	1 00	
5 00 14	ichlargethere		1,00	· · · · · · · · · · · · · · · · · · ·			
TYPE OF DATA	. ***** SEMIVOLATI		1.0	1.0	1.0	1.0	1 . 0
THE OF LINE	DILUTION FACTOR:	1.0	1.0	34.3.56			2 200
		5 PO V V	C2812	CZBIJ	(2814	C2817	(2018 ug/kg
DET. LIMIT	SAMPLE NUMBER: UNITS:	CZ811 ug/l	ug/1	ug/1	ug/I		<u> </u>
CRUL (= 1DL)		ugri					380 00
50.00 be	enzoic acid apthalene						480 00
10,00 na	methyl <u>napthalene</u>						64.00
10.00 2	enaphthylene						170.00
10.00 at	ibenzoturan						72.00
10 00 fl	bracene						626 192
50.00 4.	6-dinitro-2-methylphen	o I					750.00
10.00 pt	nenanthrene						100 00
10.00 at	ithracene	((820.00
	luoranthene						340 00
10.00 py	yrene						550.00
10.00 be	enzo(a) antin acene						330.00
10.00 ct	hrysene						/80 00
10.00 b	is(2-ethylhexyl) phthal enzo(b)fluoranthene	4.0					320.00
10.00 6	enzo(a)pyrene						120.00
10.00 0	ndeno(1,2,3 cd)pyrene						190 00
	enzo(g,h,i)perylene						
10.00 1	CITE OF GITTE TELEFIE	*******		1.0	1.0	1.0	2.0
10 00 6	A PESTI IIIL		1.0	1.0	4		
10.00 M	A: ***** PESTICION DILUTION FACTOR.	1.0	1.0				
10 00 be	DILUTION FACTOR.	1.0		C2813	CZB14	(7817	C2818
10 00 be	DILUTION FACTOR: SAMPLE NUMBER: UNITS:	1.0 C2811	(ZB12 ug/1	CZ813 ug/1	(ZB14 ug/1	(2817 ug/1	CZB18

0.05 beta-BHC

SAMPLING DATE(s): 9/28/89 CASE NUMBER:12826

STATE/COUNTY CODE: EPA NUMBER:

24/33 MD 240

NAME .	UNITED RIGGING AND HAULI	ING	SAMPLI CASE N	NG DATE(s): 9/	E	PA NUMBER:	MD 240	"
ITE NAME: DU NUMBER: AB NAMES:	F3-8908-12 ORGANIC/ II CERRITOS	INORGANIC			WCAAEB	MCAA61	MCAA62	
AD NAMES:	SAMPLE NUMBER: SAMPLE ID:	MCAA55 SW-1	MCAA56 SW-2 UNNAMED TRIB	MCAA57 SW-3 UNNAMED TRIB	MCAA5B SW-30	AQ BLNK BLANK	50 1	
	LOCATION:	UNNAMED TRIB UPSTREAM INTERMITTENT	UPSTREAM INTERMITTENT	DOWNSTREAM INTERMITTENT	DUP OF SW-3		MATCHES SW T	
	PII:	CLOUDY 5.9 NONE > BKGRD	CLOUDY 5.5 NONE-BKGRD	CLOUDY 5.5 NONE * BKGRU	5 5 NONE-BKGRD	b. 2	NONE BRORD 60.7%	
	FIELD MEASUREMENTS:	NONE > BROKE					1.000	• • • • • • • • • • • • • • • • • • • •
	PERCENT SOLIDS:			1.000	1.000	1.000	1.000	
YPE OF DATA	DILUTION FACTOR: : GFAA	1.000	1,000 1,000	1.000	1.000	1.000	1.000	
	BILLOTTON TACTOR:	1.000	1.000	1.000	1.1100	1.000	1.000	
	; Hg	1.000	1.000	1.000	1.000	1.000		
	: CN	1.000	1,000		MCAA58	MCAA61	MCAA62	
	80 W/W 50 WWW.5000000000000000000000000000000	MCAA55	MCAA56	MCAA5/	ug/1	ug/1	mg/kg	-
ET. LIMIT	SAMPLE NUMBER:	ug/l	ug/1	ug/1	1620.00	27.50	5180.00	
RUL (@=1DL	UNITS:	1110.00	1350.00	2210.00	16.50	20.00	5 : 40 5 : 60	
200.00 a	luminum	16.70			10.50		1180 00	
60.00 a	ntimony			292.00	300.00		0.67	
	i senic	280.00	240.00	292.00	7.70		2370.00	
	arium			22900 00	25000.00	79 00	3060 00	
	eryllicar	23900.00	21700.00	29.60	30.60		7 40	
5000.00 c	alcium	22.40	20.00	20.00			43.20	
	hromium		18.40	15.60	8.00	28.60	25401.00	
00	obalt	13.50	2580.00	3030.00	3160.00	2.30	1280.00	
	obber	2740.00	20.70	19.80	18.60	2.32	679:00	
100.00 i	ead (anal. by GFAA)	22.20	5510.00	5700.00	6150.00		397.00	
5000.00 n	nagnesium	6140.00	83.00	93.80	92.90		0.17	
	nanganese	180.00					10:10	
	nercury	7.60			5270.00		597.00	
40.00	ickel	4910.00	4590.00	5000.00	32.0.3		258 00	
5000.00 F	potassium	2.60		12000.00	13000.00	100.00	29.60	
5.00 8	selenium	13900.00	12200.00	6.10	5.70	. 7. 00	505.00	
5000.00 \$	sodium	6.10	5.60	164.00	111.00	17.00	12.50	
50.00	vanadium	141.00	220.00	104.00				
	zinc							
	cyanide nts: ************************************			27/27				

SAMPLING DATE(S): 972H-89 STATE/COURTY CODE: 34 11 EFA NUMBER. UNITED RIGGING AND HADEING CASE NUMBER: 12826 SITE NAME . TDD NUMBER: F3 8908 12 INURGANILY SKINER ORGANICA IL CERRITOS 17824 LAB NAMES: C2B23 CZB22 CZ821 SD-4 SILAL CZ820 SD-5 5-1 CZ819 SAMPLE NUMBER: MATCHES 5 1 SD-3 SD-2 OH SITE DRAINAGE PIP SAMPLE ID: SEWER PIPE 4 FELI IND-A(55 AT DISCHARGE LOCATION: AT DISCHARGE EARTH TREMEN NO AQ SAMP NO AQ SAMP MATCHES SW-3 LANDA CLAY MATCHES SW 2 FINE-LUARSE HEAVY GRAIN OILY ODOR FINE GRAIN MED GRAIN NOUL ORGBI NONE - BKGKI NONE - BKGRD NONE - BKGRD 85.0% 93.0% NONE - BKGRD NUME - BRGRD FILLD MLASSIREMENTS: 97.0% 73.0% 73.0% 76.0% PERCENT SOLIDS: 1.0 1.0 TYPE OF DATA: ***** VOLATILES 1.0 1.0 1.0 1.0 DILUTION FACTOR: (615-4 CZ823 C2822 CZB21 CZ820 ug/kg ug/kg CZB19 SAMPLE NUMBER: ug/kg_ ug/kg CRQL (e=IDL) UNITS: ug/kg ug/kg 10.00 10.00 chloroethane 8.00 5.00 methylene (bluride 10 00 26.00 16.00 17.00 10.00 acetone 5.00 chlarotarm 1.0 1.0 10.0 1.0 1.0 DILUTION FACTOR: 17024 LZ823 CZB22 __ ug/kg CZB21 CZUZU DET, LIMIT SAMPLE NUMBER CZH19 ug/l ug/kg 61.00 CRQL (e-1pr) UNLIS:
50.00 benzoic acid 10.00 napthalene 10.00 2-methylnapthalene 10.00 acenaphthylene 10.00 dibenzoturan 10.00 fluorene 50.00 4.6-dinitro-2 methylphenol 120.00 10.00 phenanthrene 10.00 anthracene 120.00 10.00 fluoranthene 96.00 10.00 pyrene 10.00 benzo(a)anthracene

10.00 chrysene 10.00 bis(2-ethylhexyl) phthalate 10.00 benzo(b) floor antheme 10.00 benzo(a)pyrene 10.00 indeno(1,2,3-cd)pyrene 10.00 Denzo(g,h,i)perylene TYPE OF DATA: ***** PESTICIONS DILUTION FACTOR.

2.0 1.0 10.0 1.0 62024

5700.00

(2823 C2822 DET. LIMIT SAMPLE NUMBER. C2819 C2820 CRQL (@=1DL) UNITS: U9/kg u9/kg CZBZI CZ820 ug/ky ug/kg ug/kg 14.00 1.00 aroctor - 1260 920.00 260.00 3600.00 260.00 710.00 340.00

73.00

STATE/COUNTY CODE. EPA NUMBER:

24/11 MD 248

ITE NAME:	UNITED RIGGING AND HAULT	NG	CASE N	NG DATE(s): 9 UMBER:12826	/ 28 / 89	STATE/COUNTY CODE EPA NUMBER:	MD 248	A POP
DO NUMBER:	F3-8908-12	INORGANIC	SKINER		21.0	MCAA67	MIAAGB	8
AB NAMES:	ORGANIC/ IT CERRITOS	0314 = 17 + 17 + 17 + 17 + 17 + 17 + 17 + 17		MCAA65	MCAA66	S-1	S 1(A)	
	S NUMBER	MCAA63	MCAA64	50-4	SD-5		MATCHES > 1	
	SAMPLE NUMBER. SAMPLE ID:	SD-2	SD-3	SEWER PIPE	URAINAGE PIL		4 FitT	
	SAMPLE III			AT DISCHARGE	AT DISCHARGE	EARTH TREMEN		
	LOCATION:			NO AQ SAMP	NO AQ SAMP	FINE-LOARSE	SAHDY, CLAY	
		MATCHES SW-2	MATCHES SW-3	OILY ODOR	HEAVY GRAIN	FINE-COAR JE		
		MED GRAIN	FINE GRAIN	OIL T OBO.		and the tell	MOTHE - DWORD	
	151.7.7	MED G		NONE > BKGRD	NONE > BROKD	NONE BKOKD	92.5%	
	PH:	NONE - BRGRD	NUNE . BKGRD	72.1%	97.3%	85.5%		
	FIELD MEASUREMENTS:	77.6%	74.6%	72.12		. 000	1.000	
	PERCENT SOLIDS:			1.000	1.000	1 000	1_000	
YPE OF DAT	INORGANICS	. 000	1.000	1.000	1.000	1.000	1.000	
ANE OF DATE		1.000	1.000		1.000	1.000	1 000	
	; 10.5	1.000	1.000	1.000	1.000	1.000		
	: н9	1.000	1.000	1.000			Mi AADB	
	; CN	1.000			MCAAbb	MCAA67	neg/Fg	
			MCAA64	MC A A 65	mg/kg	mg/kg	783.00	
	SAMPLE NUMBER:	MCAA63	mg/kg	mg/kg	663.00	1630.00	3 80	
DET. LIMIT	UNITS	mg/kg	2390.00	1880.00	003.	4.10	0.83	
CROL (w-1DL	laminam	1210.00		4.30	1.50	2 00	3.90	
200.0	nitimony	4.60	3.40	5.10	4 00	13.70	5.50	
	n seni	$\frac{1.60}{67.00}$	1670.00	53.50	920 9370		44900.00	
	oar i com	67.00	0.50		188000 00	1.16000 00	10.20	
200.00	iery I I com		4600.00	43700.00	10.10	18.00	3.60	
	alcium	30100:00	942.00	181.00	5.70	4.70	6.80	
3000	hromium	79.40	6.20	21,60	4.30	7.20	J460.00	
		11.60	13.80	170.00	3340.00	9370.00	1.90	
	Lutial t	17.00	10100.00	35200.00	5.20	5.60	71.00.00	
£ 0	Copper	7710.00	176.00	117.00	56800.00	22100.00	45.60	
100.00	iron lead (anal, by GFAA)	42.70	1160.00	19600.00	128.00	160.00	45.00	
5.00	lead (ana)	12800.00	401.00	211.00	120.00		69.60	
	magnes ium	99.50			80.20	65 50	184.00	
	manganese	570000 1400	7.40	235.00	305.00	325.00	184.00	
	mercury	60.20	259.00	287.00	303.00			
40.00	nickel	241.00	230.00		90.20	111.00	9.60	1922
***************************************	potassium	010A0 P2679	99.70	70:40	4.70	14.70	6.20	
	selenium	$=\frac{46.20}{23}$ -	20.20	67.40	17.20	495.00	0,20	
	Sodium sees	35.30	436.00	760.00	17.20	V2002-00-00-00-00-00-00-00-00-00-00-00-00		
	vanadium	112.00	5.00					
	zinc		***********	***********	*********			
10.00	cyanide ents: ************************************		Market Charles of the Control of the					

0.05 beta-BHC

0.50 aroctor 1242

SAMPLING DATE(5): 9/28/89 CASE NUMBER: 12826

STATE/COUNTY CODE: FPA NUMBER:

24/33 MD- 248

TDD NUMBER: F3-8908-12 INORGANIC/ SKINER ORGANIC/ IT CERRITOS LAB NAMES: CZ829 CZ828 CZ827 CZ826 CZ825 SAMPLE NUMBER: AGIRIPBLANK 5-BACK 5-3 s-2 5-10(A) SAMPLE ID: OFF-SITE BLANK ON-SITE on site LOCATION: OPEN ACCESS IND-ACSS ind-acss VEGETATED SEWER GRATE vegetated VOA ONLY SANDY, CLAYEY SANDY, CLAYEY silty loam DUP OFS-1(A) PH: NONE - BKGRD NONE . BKGRD none-bkgrd FIELD MEASUREMENTS: 86.0% 96.0% 80.0% 90.0% PERCENT SOLIDS: 1.0 TYPE OF DATA: ***** VULATILES 1.0 1.0 1.0 1.0 DILUTION FACTOR: CZ829 1.2828 CZB27 CZ826 SAMPLE NUMBER: CZ825 ug / 1 DET. LIMIT ug/kg ug/kg ug/kg ug/kg UNITS: CRQL (@=IDL) 10.00 chloromethane 10.00 chloroethane 13.00 7.00 9.00 5.00 methylene chloride 9.00 10.00 14.00 10.00 acetone 5.00 chloroform 5.00 carbon tetrachloride 5.00 trichloroethene TYPE OF DATA: ***** SEMIVOLATILES 1.0 1.0 10.0 1.0 1.0 DILUTION FACTOR: CZB29 CZBZB CZ827 DET. LIMIT SAMPLE NUMBER:
CRQL (@=IDL) UNITS: CZ826 CZB25 ug/kg _____ ug/kg ug/kg ug/kg ug/kg 110.00 50.00 benzoic acid 10.00 napthalene 10.00 2-methylnapthalene 10.00 acenaphthylene 10.00 dibenzofuran 10.00 fluorene 2000.00 50.00 4.6-dinitro-2-methylphenol 210.00 10.00 phenanthrene 190.00 10 00 anthracene 59.00 290.00 10.00 fluoranthene 70.00 99.00 10.00 pyrene 10.00 benzu(a)anthracene 150.00 10.00 chrysene 10.00 bis(2-ethylhexyl) phthalate 160.00 88.00 10.00 benzo(b)flooranthene 89.00 10.00 benzo(a)pyrene 10.00 indeno(1,2,3 cd)pyrene 41.00 10.00 benzo(g,h,i)perylene ******************** TYPE OF DATA: ***** PESTICIDES 1.0 1 () 5.0 1.0 1.0 DILUTION FACTOR: (2829 CZB2B CZB21 0.2826 CZ825 SAMPLE NUMBER: 119/1 DET. LIMIT ug/kg ug/kg ug/ky UNITS: CRUL (w=IDL)

1100.00



SAMPLING DATE(s): 9/28/89 CASE NUMBER: 12826

STATE/COUNTY CODE: EPA NUMBER:

24/33 MD-248

SITE NAME: UNITED RIGGING AND HAULING TDD NUMBER: F3-8908-12 LAB NAMES: ORGANIC/ IT CERRITOS

INORGANIC/ SKINER

LAB NAMES:	ORGANIC/ IT CERRITOS	THORGANIE	J. T. T. C.			-1.44(
	SAMPLE NUMBER:	MCAA69	MCAA70	MCAA71	MCAA72	
		5-10(A)	s · 2	5-3	S-BACK	
	SAMPLE ID:	3 10(~)	on site	ON-SITE	OFF-SITE	
	LOCATION:		ind-acss	IND-ACSS	OPEN ACCESS	
			vegetated	SEWER GRATE	VEGETATED	
		10.00 MEL-1741	silty loam	SANDY, CLAYEY	SANDY, CLAYEY	
	92.5a	DUP 0F5-1(A)	Silly loam	J		
	PH:		none/bkgrd	NONE > BKCKD	NONE > BKGRD	
	FIELD MEASUREMENTS:	1) I E W	81,2%	95.5%	85.2%	
	PERCENT SOLIDS:	90.5%				
TYPE OF DATA:	***** INORGANILS		1.000	1.000	1.000	
Victoria de la composição	DILUTION FACTOR: : GFAA	1.000	1.000	1.000	1.000	
	: ICP	1.000	1.000	1.000	1.000	
	: 119	1.000	45/15/10/10/10	1.000	1.000	
	: CN	1.000	1.000	1.000	404U54F0T0	
		MCAA69	MCAA70	MCAA71	MCAA72	
DET. LIMIT	SAMPLE NUMBER:	ing/kg	mg/kg	my/ky	mg/kg	The second secon
CRQL (e=IDL)	UNITS:	856.00	5070.00	2380.00	5030.00	
200.00 alu		4.00	6.20		4.80	
	imony	0.74	2.50	2.60	4.90	
10.00 ars	enic	3.10	35.10	19.20	28.90	
	ium	3.10	0.38		0.36	
	yllium	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1180.00	35400.00	2410.00	2 72 C A 40 C E
5000.00 cal	cium	13400.00	23.80	26.00	57.10	The Committee of the Co
	omium —		3.60	4.10	5.20	
	alt	1.80	12.90	17.60	38.90	
25.00 cop	pper	3.10	14500.00	9180.00	25700.00	
100.00 iro		3560.00	48.50	59.30	43.80	
5.00 lea	id (anal. by GEAA)	0.95	816.00	8940.00	1460.00	
5000.00 mag	nesium	2320.00	208.00	94.20	159.00	
	ganese	20.80	200.00	54.20	0.07.07.Vis.50.5	
0.20 mer	cury	2000 200	6.00	55.10	21.40	
40.00 nic	kel	21.10		222.00	338.00	
	assium	90.80	430.00	222.00	300.00	
	lenium		60.00	67.10	47.70	
	ium	72,90	58.00	26.80	32.90	
	nadium	8.60	32.10	111.00	56.40	
20.00 zir		9.10	39	111.00	30.40	
	anide					
10:00 17:						

